BRUMBERG
Light. Since 1873.

AKIMISKI Wall surface-mounted luminaire, IP44, on/off switchable

Article no. 65120103





Tender

Wall surface-mounted luminaire, IP44, on/off switchable, Angular.Luminaire length 250.0 mm, Luminaire width 167.0 mm, Hight 88.0 mm Weight 2.2 kg, with rotattionssymmetrical, deep, wide distributed light intensity. Cover glass opalLuminous flux 730 lm, Power 1 x 20 W, Light colour warm white, Correlated color temprature (CCT) 2.700 K, Colour rendering index CRI > 80, Rated life time L70/B50 at 25 °C: 50.000 h, Housing material: Steel / Glass, Colour: anthracite, Permissible ambient temperature (ta): -20 °C up to +45 °C, Protection class (EN 61140): I, Degree of protection (DIN EN 60529): IP65, shock resistance according to IEC62262: IK04 .With electronic driver, on/off switchable.

All technical data as well as, weight and measurements are based on rated values and had been carefully prepared. We reserve the right to make technical changes which are are important in progressing. Product pictures are examples and can vary from the original. Subject to errors.
Date 29.10.2026 Orders are placed under our general terms and conditions under https://www.brumberg.com/en/terms-and-conditions/general-terms-and-conditions-of-sale/

BRUMBERG
Light. Since 1873.

AKIMISKI Wall surface-mounted luminaire, IP44, on/off switchable

Article no. 65120103

Article data	
Article no.	65120103
GTIN	4255752528821
Series name	AKIMISKI
Short description	Wall surface-mounted luminaire, IP44, on/off switchable
Material	Steel / Glass
Colour	anthracite
RAL Shade	7016
Type of surface	Structure
Shape	Angular
Length	250 mm
Width	167 mm
Hight	88 mm
Scope of delivery	Includes a converter for connection to a 230 V power supply
Weight	2.2 kg
D licence plate	No
Seawater-resistant	Yes
Conformance	CE, UKCA

Lighting technology	
Colour temperature	2.700 K
Light colour	white
Light output	Direct
Luminous flux	730 lm
System efficiency	36 lm/W
McAdam-Step	McAdam-Step 4
Colour rendering	CRI > 80
Luminaire optics	Cover opal
Reflector	Without
Beam angle	110°
Light sharing	Symmetric
Adjustable color temperature	No

Operating technology of the luminaire	
System output	20 W
Voltage type	AC
AC nominal voltage max	230 V
Frequency min	50 Hz
Frequency max	60 Hz
Lamp	LED
Lamp holder	Without fitting
Protection class	I
Degree of protection	IP65
Ambient temperature (ta)	-20°C up to +45°C
Dimmable	No
Number of poles	3
Control	on/off
Bulb change possible	The light source of this luminaire may only be replaced by the manufacturer or a service technician commissioned by him or a similarly qualified person.
Rated life time L70/B50 at 25 °C	50,000 h
Energy efficiency class	not required
max. no. lights on B16 A	16
max. no. lights on C10 A	22
max. no. lights on C16 A	31

All technical data as well as, weight and measurements are based on rated values and had been carefully prepared. We reserve the right to make technical changes which are are important in progressing. Product pictures are examples and can vary from the original. Subject to errors.
Date 29.10.2026 Orders are placed under our general terms and conditions under https://www.brumberg.com/en/terms-and-conditions/general-terms-and-conditions-of-sale/

BRUMBERG
Light. Since 1873.

AKIMISKI Wall surface-mounted luminaire, IP44, on/off switchable

Article no. 65120103

Mounting technology	
Mounting method	Surface mounting
Place of installation	Wall-mounted
Installation depends on the direction	Yes
Adjustability	Not adjustable
Impact resistance	IK04
Mounting type	screw fastening
Mounting information	Article is not suitable for being covered with insulating material.
Areas of application	Outdoor
Cover	Glass opal
Suitable for through-wiring	No

Packing data	
Gross weight	2.703 kg
Length of packaging	240 mm
Packaging width	160 mm
Packaging hight	320 mm
Disposal at end of life	This product must not be disposed of with household waste. You are obliged, to dispose of such electrical waste separately. By disposing of electrical waste and other old or defective electronics separately, you support recycling or other forms of re-use. In that way you help to take care and to avoid that harmful substances get into the environment.

All technical data as well as, weight and measurements are based on rated values and had been carefully prepared. We reserve the right to make technical changes which are are important in progressing. Product pictures are examples and can vary from the original. Subject to errors.
Date 29.10.2026 Orders are placed under our general terms and conditions under https://www.brumberg.com/en/terms-and-conditions/general-terms-and-conditions-of-sale/